




# String Pin Settings

Gary Rees

3-16-16

# One Hardware – Multiple Software



# Vector Settings

1:01 AM

Settings

Front Desk | Default Rates | Scorer | Pinsetter | Print | Prepay | Center information | Interco

Pinsetter type: Brunswick String Interface

Pinsetter off delay: 0 seconds

Machine

☒ 10th frame reset

Perform automatic reset after: 11 seconds

Slow ball trigg: 4500 ms

Fast ball trigg: 4000 ms

Speed limit: 9 mph

Slow Bowler Options

Pinsetter timeout: 0 seconds (0 disables)

# Vector Plus Settings

VP Vector Plus Office

Log Off

Administration

Security

Vector Control

Policies

Pinsetter Type

Pinsetter Settings

Console Settings

Scoring Settings

Lane Settings

Messages

Prepaid Options

Red Headpin

TV Settings

Wake On LAN

Cash Control

Cash Tools

Card Management

Coupons

Remote Order Printing

Time Delay Between Starting Consecutive Pinsetters (milliseconds) 500

Settings for GS pinsetters only

☒ Display Pinsetter Errors on Lane Status

Pinsetter Off Delay 30 seconds

Lane Defaults: ☒ Automatic Fouls  
☒ Automatic Set New Pins  
☒ Automatic POOR

Settings for other pinsetters

Tenth Frame Reset 10 seconds

Slow ball trigger 3500 milliseconds





Fast ball trigger 2500 milliseconds


Speed Limit 9 ☐ Use Metric Units

Pinsetter Off Delay 30 seconds

Lane Defaults: ☒ Save Camera Image  
☒ Ball Velocity

# Sync SES Settings

 HOME  ADMIN  SECURITY  SALES

 EDIT LANE WIZARD : 40

☒ PROPERTIES ☒ PINSETTER ☒ LOWER CONSOLE

Pinsetter Type

SES String Pin ▼

Fast Ball Delay (ms)

2500 ▼ ▲

Slow Ball Delay (ms)

3500 ▼ ▲

Slow/Fast Ball Threshold (mph)

10 ▼ ▲

Ball Detect Height Above Lane in Millimeters (0 for default):

0 ▼ ▲

Ball Speed Multiplication Factor

100 %

Apply Above Values to All Pinsetters of this Type

☐

# Sync String Pin Settings

EDIT LANE WIZARD : 40

☒ PROPERTIES ☒ **PINSETTER** ☒ LOWER CONSOLE

Pinsetter Type: String Ten Pin ▼

Ball Return Reset Button Action: Last Known Pins ▼

Ball Detect Height Above Lane in Millimeters (0 for default): 0 ▼ ▲

Ball Speed Multiplication Factor: 100 %

Apply Above Values to All Pinsetters of this Type: ☐

OK CANCEL